Folkkingham Tree Review

| Location | Tree | Species | ADB | No of stems | Age | Vigour | Conditon | Comments | Recommendations | |
|----------------------|------|---------------------------------|--------------|-------------|---------|----------|----------|--|-----------------|--|
| | | (Crataegus monogyna) | N 1/A | | | | | | | |
| Main Street | 1 | Hawthorn | N/A | 1 | Mature | Moderate | Moderate | Heavily leaning | Monitor | |
| | | (Acer pseudoplatanus) | N/A | | | | | | | |
| Main Street | 2 | Sycamore | IN/A | 1 | Young | Good | Good | Some dead branches | Monitor | |
| | | (Prunus avium) Wild | N/A | | | | | | | |
| Main Street | 3 | | | 1 | Mature | Good | Moderate | Some rot at base. | Monitor | |
| | | (Prunus cerasifera) | N/A | | | | | | | |
| Main Street | 5 | Cherry Plum | N1/A | 1 | Young | Good | Good | Some dead branches | Monitor None | |
| Main Street | 5 | (Prunus avium) Wild | N/A | | | | | | None | |
| Main Street | 6 | 1 ' | N/A | 1 | Young | Good | Good | lvy covering | None | |
| Main Street | 7 | | N/A | | Tourig | 0000 | Ooou | ivy covering | None | |
| | , | (Prunus avium) Wild | | | | | | | | |
| Main Street | 8 | , , | N/A | 1 | Young | Good | Moderate | Some rot at base. | Monitor | |
| | | (Prunus avium) Wild | NI/A | | | | | | | |
| Main Street | 9 | Cherry | N/A | Multi | Young | Good | Good | None | None | |
| | 10 | Tag lost | N/A | | | | | Tag lost | | |
| | | (Aesculus | | | | | | | | |
| | | hippocastanum) Horse | N/A | | | | | | | |
| Main Street | 11 | | | 1 | Young | Good | Good | None | None | |
| Main Ctraat | 10 | (Malus sylvestris) Crab | N/A | | Vound | Cood | Cood | None | None | |
| Main Street | 12 | Apple (Acer platanoides) | | 1 | Young | Good | Good | None | None | |
| Main Street | 13 | | N/A | 1 | Mature | Good | Good | None | None | |
| rialii oticct | 10 | (Prunus avium) Wild | | | riature | 0000 | 0000 | None | None | |
| Main Street | 14 | , , | N/A | 1 | Mature | Good | Moderate | Some dead branches | None | |
| | | (Acer platanoides) | | | | | | | | |
| Main Street | 15 | Norway Maple | N/A | 1 | Mature | Good | Good | None | None | |
| Playing field | | (Pinus sylvestris) Scots | N/A | | | | | | | |
| (E) | 16 | | IN/A | 1 | Mature | Good | Good | Heavily covered with ivy hard to fully assess | None | |
| Playing field | | (Acer campestre) Field | N/A | | | | | | | |
| (E) | 17 | _ | 111/1 | 1 | Mature | Good | Good | Heavily covered with ivy hard to fully assess | None | |
| Playing field | | (Acer campestre) Field | N/A | | | | | Heavily covered with ivy hard to fully assess, | | |
| (E) | 18 | • | | 1 | Young | Good | Good | some dead branches | Monitor | |
| Playing field | | (Acer campestre) Field | N/A | | Moturo | Cood | Cood | Heavily covered with inv hard to fully access | None | |
| (E) Playing field | 19 | Maple (Acer campestre) Field | | 1 | Mature | Good | Good | Heavily covered with ivy hard to fully assess | None | |
| (E) | 20 | | N/A | Multi | Young | Good | Good | Heavily covered with ivy hard to fully assess | None | |
| \- <i>I</i> | 20 | Γιαρίο | | i iutti | Tourig | | | Trouving Covered with my hard to fully dosess | 110110 | |

| | | | | | | 1 | | | | |
|----------------------|-----|-------------------------------|------------|-------|--------|----------|----------|--|--------------------------------------|--|
| Playing field | | (Fraxinus excellsior) | Yes - 40% | | | | | Heavily covered with inv hard to fully access | | |
| | 21 | Ash | res - 40% | 1 | Mature | Moderate | Moderate | Heavily covered with ivy hard to fully assess, top fallen off. Evidence of remedial work | Monitor | |
| (E) Playing field | 21 | (Fravinus avaallaiar) | | 1 | Mature | Moderate | Moderate | top latter on. Evidence of remediat work | Piolittoi | |
| | 22 | (Fraxinus excellsior) | Yes - 30% | | Matura | Door | Madarata | Heavily covered with inv hard to fully access | | |
| (E) Playing field | 22 | Ash (Acer campestre) Field | | 1 | Mature | Poor | Moderate | Heavily covered with ivy hard to fully assess | | |
| | 22 | ` ' | N/A | | Matura | Cood | Cood | He willy a great with its hard to fully access | | |
| (E) | 23 | Maple | | 1 | Mature | Good | Good | Heavily covered with ivy hard to fully assess | | |
| Playing field | 0.4 | (Fraxinus excellsior) | Yes - 30% | | Mad | D | Madausta | | Manitan | |
| (E) | 24 | Ash | | 1 | Mature | Poor | Moderate | Heavily covered with ivy hard to fully assess | Monitor | |
| Playing field | 0.5 | (Acer campestre) Field | N/A | N41±: | V | 0 | 0 | Llaggilly account with its hard to fully access | None | |
| (E) | 25 | Maple | | Multi | Young | Good | Good | Heavily covered with ivy hard to fully assess | None | |
| Playing field | 20 | (Acer campestre) Field | N/A | | | | 0 | 11 | | |
| (E) | 26 | · | | 1 | Young | Good | Good | Heavily covered with ivy hard to fully assess | | |
| Playing field | | (Fraxinus excellsior) | Yes - 80% | | | | _ | Heavily covered with ivy hard to fully assess. | 5 11 100/04/05 | |
| (E) | 27 | Ash | | 1 | Mature | Poor | Poor | Top appears dead already | Remove Felled 08/01/25 | |
| Playing field | | (Fraxinus excellsior) | Yes - 70% | | | | _ | Heavily covered with ivy hard to fully assess/ | | |
| (E) | 28 | | | 1 | Mature | Poor | Poor | rot and advanced ADB | Remove Felled 08/01/25 | |
| Playing field | | (Fraxinus excellsior) | Yes - 60% | | | | | Heavily covered with ivy hard to fully assess/ | Remove - 08/01/25 Felled 2 poor | |
| (E) | 29 | | | Multi | Mature | Poor | Poor | rot and advanced ADB | leaders left remaining Now monitor | |
| Playing field | | (Fraxinus excellsior) | Yes - 60% | | | | | | | |
| (E) | 30 | | | 1 | Mature | Poor | Poor | Significant trunk damage | Remove - Felled 03/03/25 | |
| Playing field | | (Fraxinus excellsior) | Yes - 50% | | | | | | | |
| (E) | 31 | Ash | | 1 | Young | Moderate | Moderate | Heavily covered with ivy hard to fully assess | Monitor | |
| Playing field | | (Fraxinus excellsior) | Yes - 60% | | | | | Heavily covered with ivy hard to fully assess, | Remove or prune branches over road - | |
| (E) | 32 | Ash | 100 0070 | Multi | Young | Poor | Moderate | some dead branches | Felled 17-06-25 | |
| Playing field | | (Fraxinus excellsior) | Yes - 40% | | | | | | Remove or prune branches over road - | |
| (E) | 33 | Ash | 103 4070 | 1 | Mature | Moderate | Moderate | Heavily covered with ivy hard to fully assess | Pruned 08/01/25 | |
| Playing field | | (Fraxinus excellsior) | Yes - 100% | | | | | Heavily covered with ivy hard to fully assess/ | | |
| (E) | 34 | Ash | 163 - 100% | 1 | Mature | None | Dead | rot/fruiting bodies | Remove - Felled 08/01/25 | |
| Playing field | | (Acer campestre) Field | N/A | | | | | Heavily covered with ivy hard to fully assess, | | |
| (E) | 35 | Maple | IVA | Multi | Young | Moderate | Moderate | some dead branches | Monitor | |
| Playing field | | (Fraxinus excellsior) | Yes - 30% | | | | | | | |
| (E) | 36 | Ash | 163 - 30 % | 1 | Mature | Moderate | Good | Light ivy covering, hard to fully assess | Monitor | |
| Playing field | | (Acer campestre) Field | N/A | | | | | | | |
| (E) | 37 | Maple | IN/A | Multi | Young | Good | Good | Heavily covered with ivy hard to fully assess | None | |
| Playing field | | (Fraxinus excellsior) | Yes - 40% | | | | | | | |
| (E) | 38 | Ash | 162 - 40% | Multi | Mature | Moderate | Moderate | Heavily covered with ivy hard to fully assess | Monitor | |
| Playing field | | (Fraxinus excellsior) | Voc. 2004 | | | | | | | |
| (E) | 39 | Ash | Yes - 20% | 1 | Mature | Good | Good | Heavily covered with ivy hard to fully assess | None | |
| Playing field | | (Fraxinus excellsior) | Vac. 400/ | | _ | | _ | | | |
| (E) | 40 | Ash | Yes - 40% | Multi | Young | Moderate | Moderate | Heavily covered with ivy hard to fully assess | Monitor | |
| Playing field | | (Fraxinus excellsior) | V 400′ | | | | | | | |
| (E) | 41 | Ash | Yes - 40% | Multi | Young | Moderate | Moderate | Heavily covered with ivy hard to fully assess | Monitor | |

| Playing field | | (Fraxinus excellsior) | | | | | | | | |
|----------------------|----|------------------------|-----------|---------|---------|-----------|------------|---|---------------------------|--|
| (E) | 42 | Ash | Yes - 30% | 1 | Young | Moderate | Moderate | Heavily covered with ivy hard to fully assess | | |
| Playing field | 42 | (Acer campestre) Field | | 1 | Tourig | Plouerate | Moderate | licavity covered with try hard to fully assess | | |
| | 43 | Maple | N/A | | Mature | Good | Good | Heavily covered with ivy hard to fully assess | None | |
| (E) Playing field | 43 | (Acer campestre) Field | | 1 | Mature | Good | Good | Theavity covered with try hard to fully assess | None | |
| | 44 | ` ' | N/A | Multi | Matura | Good | Good | Lloovilly appeared with its hard to fully appear | None | |
| (E) | 44 | Maple | | Mutti | Mature | Good | Good | Heavily covered with ivy hard to fully assess | Notice | |
| Playing field | 45 | (Fraxinus excellsior) | Yes - 40% | Marila: | V | Madauska | Madanaka | Heavily covered with ivy hard to fully assess/ | Manitar | |
| (E) | 45 | Ash | | Multi | Young | Moderate | Moderate | rot and ADB | Monitor | |
| Playing field | | (Acer campestre) Field | N/A | | ., | | | 11 | | |
| (E) | 46 | Maple | | Multi | Young | Good | Good | Heavily covered with ivy hard to fully assess | | |
| Playing field | | (Acer campestre) Field | N/A | | | L . | | | | |
| (E) | 47 | Maple | | Multi | Young | Good | Good | Heavily covered with ivy hard to fully assess | | |
| Playing field | | (Fraxinus excellsior) | Yes - 40% | | | | | | | |
| (E) | 48 | Ash | | 1 | Young | Moderate | Poor | Heavily covered with ivy hard to fully assess | Remove - Felled 17-06-25 | |
| Playing field | | (Fraxinus excellsior) | Yes - 70% | | | | | | | |
| (E) | 49 | Ash | 100 7070 | 1 | Mature | Poor | Moderate | Heavily covered with ivy hard to fully assess | Monitor | |
| Playing field | | (Acer campestre) Field | N/A | | | | | | | |
| (E) | 50 | Maple | IN/A | 1 | Young | Good | Good | Light ivy covering | None | |
| Playing field | | (Fraxinus excellsior) | Yes - 40% | | | | | | | |
| (E) | 51 | Ash | 165 - 40% | Multi | Young | Moderate | Moderate | Heavily covered with ivy hard to fully assess | Monitor - Felled 17-06-25 | |
| Playing field | | (Crataegus monogyna) | NI/A | | | | | | | |
| (E) | 52 | Hawthorn | N/A | Multi | Mature | Moderate | Moderate | Heavily covered with ivy hard to fully assess | None | |
| Playing field | | (Fraxinus excellsior) | Yes - 20% | | | | | | | |
| (E) | 53 | Ash | res - 20% | Multi | Mature | Good | Good | Light ivy covering | None | |
| Playing field | | (Crataegus monogyna) | NI/A | | | | | | | |
| (E) | 54 | Hawthorn | N/A | Multi | Mature | Good | Good | Light ivy covering | None | |
| Playing field | | (Prunus avium) Wild | | | | | | | | |
| (E) | 55 | Cherry | N/A | Multi | Young | Good | Good | Heavily covered with ivy hard to fully assess | None | |
| Playing field | | | | | Ĭ | | | | | |
| (E) | 56 | | | | | | | | | |
| Playing field | | (Fraxinus excellsior) | | | | | | Heavily covered with ivy hard to fully assess, | | |
| (E) | 57 | Ash | Yes - 70% | | Mature | Poor | Poor | some dead branches | Remove - Felled 17-06-25 | |
| Playing field | | (Acer campestre) Field | | | | | | | | |
| (E) | 58 | Maple | N/A | Multi | Young | Good | Good | Heavily covered with ivy hard to fully assess | Remove - Felled 17-06-25 | |
| Playing field | 00 | (Fraxinus excellsior) | | ridta | Tourig | Cood | Coou | Heavily covered with ivy hard to fully assess, | Tiemeve Telled 17 de 26 | |
| (E) | 59 | Ash | Yes - 40% | Multi | Young | Moderate | Moderate | some dead branches | Monitor | |
| Playing field | 39 | (Acer campestre) Field | | Tutti | roung | Tiouciale | i iouciate | Some dead prantings | T TOTAL OF | |
| | 60 | Maple | N/A | 4 | Mature | Good | Good | Heavily covered with its bard to fully access | None | |
| (E) | 60 | · · | | 1 | indiale | Guuu | Guu | Heavily covered with ivy hard to fully assess | None | |
| Playing field | | (Fraxinus excellsior) | Yes - 50% |] | Maturi | Mada | Mada | He willy a grown of with its the seal to facility | Manitar | |
| (E) | 61 | Ash | | 1 | Mature | Moderate | Moderate | Heavily covered with ivy hard to fully assess | Monitor | |
| Playing field | | (Quercus robor) Oak | N/A | | | | | | | |
| (E) | 62 | , - | | 1 | Mature | Good | Good | Heavily covered with ivy hard to fully assess | Monitor | |

| Playing field | | (Fraxinus excellsior) | | | | | | Heavily covered with ivy hard to fully assess/ | | |
|---------------|-----|------------------------|------------|-------|---------|-----------|-----------|---|----------------------------------|------------|
| (E) | 63 | Ash | Yes - 70% | | Mature | Poor | Poor | rot and advanced ADB | Remove - felled 11/12/24 | |
| Playing field | 63 | | | - | Mature | P001 | POOI | Heavily covered with ivy hard to fully assess, | helilove - letteu 11/12/24 | |
| | 6.4 | (Fraxinus excellsior) | Yes - 40% | Mode | Varing | Madarata | Moderate | some dead branches | Monitor | |
| (E) | 64 | Ash | | Multi | Young | Moderate | Moderate | Some dead branches | Monitor | |
| Playing field | 0.5 | (Quercus robor) Oak | N/A | | | | | 11 | | |
| (E) | 65 | (F : 11 :) | | | Mature | Good | Good | Heavily covered with ivy hard to fully assess | | |
| Playing field | | (Fraxinus excellsior) | Yes - 60% | | | _ | | | | |
| (E) | 66 | | | 1 | Mature | Poor | Poor | Heavily covered with ivy hard to fully assess | Remove - felled 17-06-25 | |
| Playing field | | (Fraxinus excellsior) | Yes - 100% | | | | | | | |
| (E) | 67 | Ash | | 1 | Mature | Dead | Dead | Heavy covered with ivy, DEAD | Remove - felled 11/12/24 | |
| Playing field | | (Acer campestre) Field | N/A | | | | | | | |
| (E) | 68 | Maple | | Multi | Mature | Good | Good | Heavily covered with ivy hard to fully assess | | |
| Playing field | | (Quercus robor) Oak | N/A | | | | | | | |
| (E) | 69 | (Quereus robor) Oak | IVA | Multi | Mature | Good | Good | | | |
| Playing field | | ? | N/A | | | | | | | |
| (E) | 70 | : | IN/A | 1 | Mature | Dead | Dead | Heavily covered with ivy hard to fully assess | Remove - felled 17/06/25 | |
| Playing field | | (Acer campestre) Field | NI/A | | | | | | | |
| (E) | 71 | Maple | N/A | Multi | Young | Good | Good | Heavily covered with ivy hard to fully assess | | |
| Playing field | | (Fraxinus excellsior) | V | | | | | Heavily covered with ivy, top has already | | |
| (E) | 72 | | Yes - 100% | 1 | Mature | Poor | Poor | fallen off. | Remove - felled 11/12/24 | |
| | | | | | | | | | | |
| Playing field | | (Fraxinus excellsior) | Yes - 70% | | | | | Heavily covered with ivy hard to fully assess, | | |
| (E) | 73 | Ash | | 1 | Mature | Poor | Poor | some dead branches, heavily leaning | Remove - felled 11/12/25 | |
| Playing field | | (Fraxinus excellsior) | | | | | | | | |
| (E) | 74 | ` ' | Yes - 30% | Multi | Young | Good | Moderate | Some dead branches | Monitor | |
| Playing field | | (Fraxinus excellsior) | | | 1048 | 10000 | | | | |
| (E) | 75 | ` ' | Yes - 50% | 1 | Mature | Moderate | Moderate | | Monitor | |
| Playing field | 7.0 | (Acer campestre) Field | | - | liutuic | rioderate | rioderate | Heavily covered with ivy hard to fully assess/ | Tionicor | |
| (E) | 76 | , , | N/A | 1 | Mature | Good | Good | rot/fruiting bodies | | |
| Playing field | 70 | (Fraxinus excellsior) | | - | Platuic | Coou | Coou | Heavily covered with ivy hard to fully assess. | | |
| (E) | 77 | Ash | Yes - 80% | | . Young | Poor | Poor | Base appears rotted | Remove | |
| Playing field | // | (Fraxinus excellsior) | | _ | Tourig | FUUI | F001 | base appears rotted | Nemove | - |
| | 70 | , | Yes - 30% | | Matura | Cood | Madarata | Llo ovilve a covered with its chard to fully access | Manitar/Damaya Falled 17 00 05 | |
| (E) | 78 | | | _ | Mature | Good | Moderate | Heavily covered with ivy hard to fully assess | Monitor/Remove - Felled 17-06-25 | |
| Playing field | | (Fraxinus excellsior) | Yes - 30% | | | | | 11 | M | |
| (E) | 79 | | | 1 | Mature | Good | Moderate | Heavily covered with ivy hard to fully assess | Monitor | |
| Playing field | | (Fraxinus excellsior) | Yes - 30% | | | l | | | | |
| (E) | 80 | Ash | | 1 | Mature | Moderate | Moderate | Heavily covered with ivy hard to fully assess | Monitor | |
| Playing field | | (Fraxinus excellsior) | Yes - 100% | | | | | | | |
| (E) | 81 | Ash | 200,0 | | Dead | Dead | Dead | Standing dead wood, covered in ivy | Remove | |
| Playing field | | (Crataegus monogyna) | N/A | | | | | | | |
| (E) | 82 | Hawthorn | IWA | 1 | . Young | Good | Moderate | Heavily covered with ivy hard to fully assess | | |
| Playing field | | (Fraxinus excellsior) | Yes - 30% | | | | | | | |
| (N) | 83 | Ash | 163 - 3070 | Multi | Young | Moderate | Moderate | | Monitor | North side |

| Playing field | | (Prunus avium) Wild | | | | | | | 1 | |
|---------------|-----|----------------------------|-----------|-------|-------------|------------|----------|---|---------|--|
| (N) | 84 | , | N/A | | Vound | Cood | Cood | | | |
| Playing field | 04 | | | _ | Young | Good | Good | | | |
| | 0.5 | (Prunus avium) Wild | N/A | | Vound | Cood | Cood | | | |
| (N) | 85 | | | | Young | Good | Good | | | |
| Playing field | 00 | (Prunus avium) Wild | N/A | | Makuus | 0 | 0 | | | |
| (N) | 86 | , | | | Mature | Good | Good | | | |
| Playing field | | (Betula pendula) Silver | N/A | | | | | | | |
| (N) | 87 | | | 1 | Mature | Good | Good | | | |
| Playing field | | (Betula pendula) Silver | N/A | | | | | | | |
| (N) | 88 | Birch | | 1 | Mature | Good | Good | | | |
| Playing field | | (Acer campestre) Field | N/A | | | | | | | |
| (N) | 89 | | | Multi | Mature | Good | Good | | | |
| Playing field | | (Acer campestre) Field | N/A | | | | | | | |
| (N) | 90 | | 1071 | 1 | l Mature | Good | Good | | | |
| Playing field | | (Acer campestre) Field | N/A | | | | | | | |
| (N) | 91 | Maple | 1477 | 1 | Mature | Good | Moderate | Trunk damage at base | Monitor | |
| Playing field | | (Prunus avium) Wild | N/A | | | | | | | |
| (N) | 92 | Cherry | IVA | Multi | Mature | Good | Moderate | Heavily covered with ivy hard to fully assess | Monitor | |
| | | (Cuprocyparis | | | | | | | | |
| | | leylandii) Leylandii | N/A | | | | | | | |
| Chapel Lane | 100 | Cypress | | 1 | Mature | Good | Good | | | |
| Playing field | | (O | NI/A | | | | | | | |
| (N) | 101 | (Quercus robor) Oak | N/A | 1 | Mature | Good | Good | | | |
| Playing field | | (0 | N1/A | | | | | | | |
| (N) | 102 | (Quercus robor) Oak | N/A | 1 | Mature | Good | Good | | | |
| Playing field | | (Salix caprea) Goat | N1/A | | | | | | | |
| (W) | 103 | Willow | N/A | | Mature | Good | Good | | | |
| Playing field | | (Acer campestre) Field | | | | | | | | |
| (W) | 104 | Maple | N/A | 1 | Young | Good | Good | | | |
| Playing field | | (Acer campestre) Field | | | | | | | | |
| (W) | 105 | Maple | N/A | 1 | Young | Good | Good | | | |
| Playing field | | (Acer campestre) Field | | | | | | | | |
| (W) | 106 | | N/A | 1 | Young | Good | Good | | | |
| Playing field | | (Acer campestre) Field | | | | | | | | |
| (W) | 107 | Maple | N/A | 1 | Young | Good | Good | | | |
| Playing field | | (Acer campestre) Field | | _ | | | | | | |
| (W) | 108 | Maple | N/A | Multi | Young | Good | Good | | | |
| Playing field | 230 | (Acer campestre) Field | | 1 | | | | | | |
| (W) | 109 | | N/A | Multi | Young | Good | Good | | | |
| Playing field | 100 | (Fraxinus excellsior) | | | . 54116 | 2000 | 2304 | Unable to perform full inspection due to | | |
| (S) | 110 | , | Yes - 50% | 1 | Mature | Moderate | Moderate | access | | |
| (0) | 110 | (Fraxinus excellsior) | | - | i i iuiui c | , louciate | Touclate | | | |
| Wilkie Drive | 111 | (Fraxillus excellsior) Ash | Yes - 30% | . | L Mature | Good | Good | | | |
| ANITKIE DLIVE | 111 | ASII | | _ | ıımature | Guuu | Guuu | 1 | 1 | |

| | | (Aesculus | | | | | | | | |
|---------------|-----|--------------------------|-------------|-------|--------|----------|----------|---|---------|---|
| | | hippocastanum) Horse | N/A | | | | | | | |
| Wilkie Drive | 112 | | IN/A | 1 | Vound | Good | Good | | | |
| WILKIE DIIVE | 112 | | | 1 | Young | Good | Good | | | |
| Wilkie Drive | 110 | (Prunus avium) Wild | N/A | | V | 0 | 0 | | | |
| WILKIE DIIVE | 113 | , | | 1 | Young | Good | Good | | | |
| 06 | | (Robinia | N1/A | | | | | | | |
| Churchfield | 444 | pseudoacacia) False | N/A | | | 01 | 01 | | | |
| Road | 114 | Acacia | | 1 | Young | Good | Good | | | |
| Churchfield | 445 | (Liriodendron | N/A | | | 01 | 01 | | | |
| Road | 115 | tulipifera) Tulip Poplar | | 1 | Young | Good | Good | | | |
| | | (Robinia | | | | | | | | |
| Churchfield | | pseudoacacia) False | N/A | | | | | | | |
| Road | 116 | Acacia | | Multi | Young | Good | Good | | | |
| | | (Robinia | | | | | | | | |
| Churchfield | | pseudoacacia) False | N/A | | | | | | | |
| Road | 117 | Acacia | | 1 | Young | Good | Good | | | |
| | | (Robinia | | | | | | | | |
| Churchfield | | pseudoacacia) False | N/A | | | | | | | |
| Road | 118 | Acacia | | 1 | Young | Good | Good | Double leader | | |
| | | (Robinia | | | | | | | | |
| Churchfield | | pseudoacacia) False | N/A | | | | | | | |
| Road | 119 | Acacia | | 1 | Young | Good | Good | Double leader | | |
| Churchfield | | Dead Tree | N/A | | | | | | | |
| Road | 120 | | | 1 | Young | Dead | Dead | Remove/low risk due to small size | | |
| Playing field | | (Fraxinus excellsior) | Yes - 50% | | | | | | | |
| (S) | 121 | Ash | | 1 | Young | Moderate | Moderate | Brambles meant unable to access and tag | | |
| Playing field | | (Fraxinus excellsior) | Yes - 30% | | | | | | | |
| (S) | 122 | Ash | | 1 | Mature | Moderate | Moderate | Brambles meant unable to access and tag | | |
| Playing field | | (Acer campestre) Field | N/A | | | | | | | |
| (S) | 123 | Maple | | 1 | Mature | Good | Moderate | Brambles meant unable to access and tag | | |
| Playing field | | (Fraxinus excellsior) | Yes - 50% | | | | | | | |
| (S) | 124 | Ash | 103 0070 | 1 | Young | Moderate | Moderate | Brambles meant unable to access and tag | Monitor | |
| Playing field | | (Fraxinus excellsior) | Yes - 30% | | | | | | | |
| (S) | 125 | Ash | 103 0070 | 1 | Young | Moderate | Moderate | Brambles meant unable to access and tag | | |
| Playing field | | (Fraxinus excellsior) | Yes - 40% | | | | | | | |
| (S) | 126 | Ash | 103 - 40 70 | 1 | Young | Moderate | Moderate | Brambles meant unable to access and tag | | |
| Playing field | | (Fraxinus excellsior) | Yes - 20% | | | | | | | |
| (S) | 127 | Ash | 163 - 2070 | 1 | Young | Good | Moderate | Brambles meant unable to access and tag | | |
| Playing field | | (Fraxinus excellsior) | Yes - 60% | | | | | | |] |
| (S) | 128 | Ash | 163 - 0070 | 1 | Young | Moderate | Moderate | Brambles meant unable to access and tag | Monitor | |
| Playing field | | (Fraxinus excellsior) | Yes - 50% | | | | | | |] |
| (S) | 129 | Ash | 103 - 3070 | 1 | Young | Moderate | Moderate | Brambles meant unable to access and tag | Monitor | |

| Playing field | | (Fraxinus excellsior) | Yes - 40% | | | | | | |
|---------------|-----|-----------------------|-----------|-----|-------|----------|----------|---|--|
| (S) | 130 | Ash | 165 - 40% | 1 Y | oung/ | Moderate | Moderate | Brambles meant unable to access and tag | |
| Playing field | | (Fraxinus excellsior) | Yes - 40% | | | | | | |
| (S) | 131 | Ash | res - 40% | 1 Y | oung/ | Moderate | Moderate | Brambles meant unable to access and tag | |
| Playing field | | (Fraxinus excellsior) | Yes - 30% | | | | | | |
| (S) | 132 | Ash | 162 - 30% | 1 Y | oung/ | Moderate | Moderate | Brambles meant unable to access and tag | |